

Vertex matroid families

Szepesi Balázs

Supervisor: Imolay András

Eötvös Loránd Tudományegyetem

January 9, 2026


Definition

A **graph matroid family** \mathcal{M} is a family of matroids, defined on the edge set of each (finite, simple) graph in a way that is

- *well-defined: every graph isomorphism $\varphi : V(G) \rightarrow V(H)$ induces an isomorphism between $\mathcal{M}(G)$ and $\mathcal{M}(H)$.*
- *compatible: for all subgraph H of G , $\mathcal{M}(H)$ is a restriction of $\mathcal{M}(G)$.*

Graph matroid families

For a given graph $G = (V, E)$ and a graph matroid family \mathcal{M} .



Matroid families

Some known graph matroid families:

- graphic matroids
- bicircular matroids
- even cycle matroids
- abstract rigidity matroids
- (k, l) -count matroids

Definition

A **vertex matroid family** \mathcal{M} is a family of matroids, defined on the **vertex** set of each (finite, simple) graph in a way that is


- **well defined:** every graph isomorphism $\varphi : V(G) \rightarrow V(H)$ induces an isomorphism between $\mathcal{M}(G)$ and $\mathcal{M}(H)$.
- **compatible:** for all **induced** subgraph H of G , $\mathcal{M}(H)$ is a restriction of $\mathcal{M}(G)$.

Main Theorem


Theorem

For all vertex matroid family \mathcal{M} either all matroids are free, or there exists an integer k such that for all finite simple graphs G , $\mathcal{M}(G)$ is the uniform matroid on $|V|$ elements with rank $\min\{|V|, k\}$.


Gluing operation




Gluing operation



Use of gluing operation



Use of gluing operation



Thank you!